WELCOME TO THE





DATA COLLECTION

Nora Hollenstein, Action Chair nora.hollenstein@ktu.lt

Lena Jäger, Vice-Chair jaeger@cl.uzh.ch



Agenda

1. What is MultiplEYE?

1. The MultiplEYE data collection

- Stimulus materials
- Psychometric tests
- Experiment Procedure
- How to contribute?

3. Your questions & discussion





MultipIEYE is an EU COST Action funded by COST and the European Union.

It provides funding for **networking activities**:

- Working group meetings
- Training schools
- Short-term scientific missions
- Conference grants & publications costs






MultiplEYE aims to foster an interdisciplinary network of research groups working on collecting eye tracking data from reading in many languages.

WG 1: Data collection

- WG 2: Eye-tracking methodology
- WG 3: Psycholinguistics
- WG 4: Natural language processing
- WG 5: Dissemination







A large-scale multi-lingual multi-lab eye-tracking-while reading experiment

Unique features:

- Diversity of the original languages included in the stimulus texts
- Diversity in text genres included in the stimulus texts
- Diversity in participating languages
- Rigor of comprehension questions design & evaluation
- Acceptability of a wide range of eye-trackers & low-cost alternatives
- Comprehensive psychometric assessment of individual differences
- Use cases in different fields (psycholinguistics, natural language processing, ...)
- User-friendly dedicated data repository
- Novel standards for transparency, reproducibility and data quality reporting in eye-tracking research



Our core principles:







- Consistency across languages and labs
 - Same experiment design and protocol, natural reading corpus
 - Same population: 100 healthy, L1 adults per language
 - Same pre-processing
- → Keep the data as consistent as possible
- → But allow for as much flexibility as possible when it comes to devices & different languages, scripts, eye trackers, sampling rates, etc.

Consistency

Diversity



At least 30 minutes in between, better on two different days



For details see the Data Collection Guidelines



| Genre | Title | Short Description | Orig. Lang. |
|--------------------------------|---|--|-------------|
| Popular Science | Welcome to MultipIEYE! | Popular science text describing the MultiplEYE project | EN |
| | Caveman | Swarthy blue-eyed caveman revealed | EN |
| Institutional | Universal Declaration of Human Rights - Preamble | Preamble of the Universal Human Rights Declaration | - |
| | Report from the Commission to the Council: Progress report on a Learning Mobility Benchmark | Progress report on a Learning Mobility Benchmark | - |
| Literary | The Alchemist - Chapter 1 | Brazilian fantasy novel by Paulo Coelho | PT |
| | The Magic Mountain - Foreword | Fictional novel by Thomas Mann | DE |
| | Solaris - Chapter 2: The Solarists | Science fiction novel by Stanisław Lem | PL |
| | Broken April - Chapter 3 | Fictional novel by Ismail Kadare | SQ |
| Argumentative | Rapa Nui | Text used in the PISA 2018 test | EN/FR |
| | Cow's Milk | Text used in the PISA 2018 test | EN/FR |
| Practice text: encyclopedic | Wikipedia – The Moon | Excerpts from the Wikipedia entry about the moon | EN |
| Practice text: Literary | The North Wind and the Sun | One of Aesop's fables from ancient Greece | EL |



- Each text is followed by 6 single-choice comprehension questions with 4 answer options
- They are developed in English
- \rightarrow Need to be translated into your language

Development and evaluation of comprehension questions

- Designed according to Gehrer et al. (2013) and Berzak et al. (2020)
- Three different **questions types** targeting different linguistic levels (local, bridging, global)
- Each question has different distractor types
- Annotation of target and distractor spans in the stimulus texts
 - \rightarrow allows for analysing the link between eye-movements and text comprehension
- Several iterations of manual human review
- Evaluation of the comprehension questions via online and in-lab experiments




- \Box Join the data collection \rightarrow pre-register your dataset
- Prepare experiment in your language
- □ Prepare the local team & lab
- Check out the <u>Data Collection Guidelines</u>
- □ Join the MultiplEYE COST Action (see <u>www.multipleye.eu</u>)
- □ Apply for external funding for lab assistants & participant reimbursement
- Get in touch!



- ★ Become part of our large international multilingual data collection
- ★ Become part of the MultiplEYE network
- ★ Authorship in dataset publication
- ★ Ownership of your data (see <u>Data Sharing Policy</u>)
- ★ Visibility of your data collection and your language

For more information, see Data Collection Guidelines

Our support Guidelines & Tutorials






Dominant eye test



Camera set-up & calibration





How to run the psychometric tests

Our support Eye-tracking experiment implementation

IST

at imminue antation

- Open-source implementation in Python
- Ensures identical procedure and stimulus layout across labs and languages

| wg1-experiment-implementation | n Public 🔊 Edit | t Pins - ③ Watch 8 |
|---------------------------------------|--|---------------------|
| ్రి main 👻 ్రి 9 Branches 🛇 0 Tags | Q Go to file (Add | file - <> Code - |
| theDebbister and deborah Updated READ | MEs and restart session (#7) 🚥 5250872 · 2 wee | ks ago 🕚 61 Commits |
| github/ISSUE_TEMPLATE | Add preliminary bug issue template | 10 months ago |
| experiment_implementation | Updated READMEs and restart session (#7) | 2 weeks ago |
| guidelines | Updated READMEs and restart session (#7) | 2 weeks ago |
| 🗋 .gitignore | Updated READMEs and restart session (#7) | 2 weeks ago |
| .pre-commit-config.yaml | Add GUI + stimuli as images | last year |
| README.html | Updated READMEs and restart session (#7) | 2 weeks ago |
| README.md | Updated READMEs and restart session (#7) | 2 weeks ago |
| environment-tobii.yml | works for tobii | last year |
| requirements-eyelink.txt | newest version of the experiment (#6) | 3 weeks ago |

MultipIEYE WG1: Experiment Implementation

This repository contains the code for a MultiplEYE eye-tracking-while-reading experiment for multiple languages. After you have read this README make sure to read the relevant files in the guidelines folder. There exists a MARKDOWN and a HTML version of the guidelines. Both are exactly the same. You can read whatever format you prefer. Also for this README, there exist two versions.

0 IE



- Demographic and linguistic background
- Computer-based implementation to ensure compatibility of data across labs
 - \rightarrow Needs to be translated into your language

| MultiplEYE Participant Questionnaire | |
|---|------|
| Thank you for participating in the MultiplEYE experiment. Please fill in the below form and follow the instructions. | |
| | |
| Participant ID: ID_1 | |
| 1. Gender | |
| 2. Years of education | |
| Please consider the years of education starting with primary school, including PhD studies. | |
| 3. Age | |
| Please provide you age (in number of years). The allowed values are from 18 to 120. | |
| 4. Compared to the other people in your geographical community, | |
| how do you rate your socio-economic status? | - |
| | |
| | |
| | |
| Previous | Next |



- Open source implementation of computer-based versions of psychometric tests
- Most tests are not language-specific
- \rightarrow Tests (instructions) need to be translated to your language.


| Spat | ial WMC test |
|---|---|
| | |
| oject ~ | 🗑 config.yami 🔮 run_multipleye_psychometric_tests.py 🛛 Mi README.md × |
| Mutiplayo-spschomatric-tests -/Decument > Config yami Config yami Config yami Config yami Config yami Config yami DA > DA > DA | MultiplEYE WG1: Psychometric Tests Introduction Wokare the Psychometric Tests covered in this project: Wokare the Psychometric Tests wokare the psychometric tests: Interview will cover the following psychometric tests: Wokare the Psychometric tasks: Memory Uspatin, Operation Span, Sentence Span, and Spin a.the task: The Rapd Advantanted Naming (RMN) task is a test of the spend and difficult using to quickly retrieve information from marrow: wokare the Spochometric test coverbine control and the Insessers the ability to this the and |
| instructions_en_yani instructions_en_yani instructions i | a word reading task, and a color-word naming task. Flanker: The Flanker test is a test of cognitive control that measures the ability to inhibit i participants must respond to a central langet while growing flanking diatractors. PLAB test: The PLAB test is Planker Language Apthude Battery test. It is a test of langu foreign language. WiRkWorab: The WiRkWorab test is a test of vocabulary knowledge that is based on the W vocabulary knowledge. |

Tutorial video for experimenters



Identical participant instructions across labs ensure comparability of the data
 → Need to be translated into your language







Our support Data management & documentation

We provide a standardized documentation pipeline

(see Data management plan for details).

- Forms to be filled in by the contributing labs:
 - Pre-Registration Form
 - Meta-Data Form
 - Stimulus Documentation Deviation Form
 - Experimenter Session Documentation Sheet
- Data quality documentation is integrated into our pre-processing pipeline.



Quality Reporting

1. ENTER THE TITLE FOR YOUR DATA COLLECTION

To ensure consistency within the COST Action Project "MultipIEYE", it is essential that the name of your data collection/dataset follows the MultipIEYE naming convention and is consistently applied throughout. The name is composed of the terms "MultipIEYE", the tested language (ISO-639-1, 2-letter language code), the name of your country (ISO-3166, 2-letter country code), the name of your city, your identifier, and the year when your data collection will end. The name should have already been generated at <u>pre-registration</u>. The entire name MUST be identical with the one that has been pre-registered.

Title: * your pre-registered title

example: MultiplEYE_DE_DE_Berlin_1_2024

2. ENTER THE PERSON(S) RESPONSIBLE FOR THE RESEARCH DATA / FOR CREATING THE DATASET AT THE COLLECTION SITE

Provide the name of any person(s) **as lead creator(s)** who contributed to your dataset and how they contributed. A lead contributor to a data collection is anyone who is responsible for the data collection at a lab. This includes those who take on central roles in planning, organizing, and executing the data collection process, ensuring the quality and accuracy of the data collected, and providing documentation. Please name all lead contributors specifically from your collection site / lab / institution.

Note: Add as many names as you need. Use a semicolon to separate the persons. Use full names (titles are omitted) and state the type(s) of contribution.

Lead Creator(s):

1. first name contributor, family name contributor, type of contribution; 2. first name contributor, family name of

Our support Assistance with lab set-up

- Pre-registration of your data collection via the online <u>Pre-Registration Form</u>
 → We generate the stimulus files for your language and lab set-up
- We provide technical support with the installation of the experiment
 → New members in the MultiplEYE support team are welcome!
- We provide a <u>Checklist for Experiment Preparation</u>
- COST provides funding for Short-Term Scientific Missions that can be used to get on-site help with the set-up of the experiment



 All data will be made accessible via the MultiplEYEStore: a dedicated data repository hosted by *PsychArchives* (Leibniz Institute for Psychology ZPID in Trier)

... more funding needed!

- FAIR principles, GDPR compliant
- Extensive data documentation & meta-data
- Data quality reports
- User-friendly GUI for filtering the data


Funded by:







Search Database









Our support Preprocessing & Data Quality Reporting

- Development of a standardized pre-processing pipeline:
 - Open source, transparent, reproducible
 - Make data from different languages and different eyetrackers compatible
 - Provide data in different formats (raw samples, scanpaths, reading measures)
 - Generation of data quality reports to be included in the meta-data
- Development of open-source preprocessing software <u>pymovements</u> (see <u>Krakwczyk et al.</u>, <u>2023</u>)
- Development and implementation of data quality metrics and reporting standards (see <u>Jakobi et al., 2024</u>).
- → Developers are welcome to join the pymovements team!





Albanian, Arabic, Basque, Catalan, Croatian, Chinese, Czech, Danish, Dutch, English, Estonian, French, German, Greek, Italian, Latvian, Lithuanian, Polish, Portuguese, Romanian, Russian, Spanish, Swedish, Turkish, Ukrainian, ...

And your language?



I'M COLLECTING DATA FOR (*) **MultiplEYE** What's your superpower?

Communication & Contact

Communication via Slack:

 \rightarrow You will receive an invitation to join the **MultipIEYE Slack workspace** once upon acceptance of your application to the Action.

Action Chairs:

Nora Hollenstein <u>nora.hollenstein@ktu.lt</u> Lena Jäger jaeger@cl.uzh.ch

WG 1 leader:

Ramunė Kasperė ramune.kaspere@ktu.lt



More information: https://multipleye.eu/

Apply <u>here</u>

Thank you!



Data Collection Guidelines & more: https://multipleye.eu/forms-anddocumentation-hub/

Get started: <u>https://multipleye.eu/contribute/</u>